



Health In Form

**Product Catalogue
Furniture**

Terms and Conditions of Use

These catalogue pages are intended to provide general information about Health In Form's products. They are not intended to provide specialist advice or instructions concerning the products sold by Health In Form.

©2005 Health in Form

ELECTRIC BEDS Model A

TGA No: AUST I 98423

Model A is a four section electric bed featuring elevating backrest, knee break, tilt & reverse tilt and a safe working load of 250kg. The four castors can be retracted allowing the bed to rest on the four legs which provides greater stability. Innovative "Nanometer Technology" is used on the powder coating of the frames and the mattress support platform. This technology creates super smooth surfaces, which are effective for infection control, easy to clean, and durable. It is highly recommended for nursing homes and retirement villages.



Standard Features

- Electrically operated backrest,height & knee-break, tilt and reverse tilt.
- Full electrically operated
- Patient handset
- Removable/interchangeable head and foot ends
- Sheet metal mattress platform
- 125mm castors (lockable)


Accessories

- Oxygen bottle holder (Horizontal & Vertical)
- Self help pole
- Intravenous pole
- Orthopaedic frame
- Safety rails

Technical Details

- Overall length 2120mm (83.5')
- Overall width 930mm (36.6')
- Mattress Size 1950 x 830mm
- Height range 450 - 700mm
- Backrest 750
- Tilt /reverse 120
- Calf section elevation 350
- Castors 100mm
- Under-bed clearance 250mm
- Product weight (approx) 115kg
- Safe Working Load 250kg
- Maximum Loading Capacity 390kg


Choice of Colours



ELECTRIC BEDS Model B

TGA No: AUST I 9842

Model B is a four section electric bed featuring elevating backrest, knee break, tilt & reverse tilt and a safe working load of 250kg. The four castors can be retracted allowing the bed to rest on the four legs which provides greater stability. Innovative "Nanometer Technology" is used on the powder coating of the frames and the mattress support platform. This technology creates super smooth surfaces, which are effective for infection control, easy to clean, and durable. It is highly recommended for nursing homes and retirement villages.



Standard Features

- Electrically operated backrest,height & knee-break, tilt and reverse tilt.
- Full electrically operated
- Patient handset
- Removable/interchangable head and foot ends
- Sheet metal mattress platform
- 125mm castors (lockable)


Accessories

- Oxygen bottle holder (Horizontal & Vertical)
- Self help pole
- Intravenous pole
- Orthopaedic frame
- Safety rail
- Battery

Technical Details

- Overall length 2120mm (83.5")
- Overall width 930mm (36.6")
- Mattress Size 1950 x 830mm
- Height range 450 - 700mm
- Backrest 750
- Tilt /reverse 120
- Calf section elevation 350
- Castors 100mm
- Under-bed clearance 250mm
- Product weight (approx) 115kg
- Safe Working Load 250kg
- Maximum Loading Capacity 390kg

Choice of Colours



ELECTRIC BEDS Model D

TGA No: AUST I 98423

Model D is a four section electric bed featuring elevating backrest, knee break and a safe working load of 250kg. The four castors can be retracted allowing the bed to rest on the four legs which provides greater stability. Innovative "Nanometer Technology" is used on the powder coating of the frames and the mattress support platform. This technology creates super smooth surfaces, which are effective for infection control, easy to clean, and durable. It is highly recommended for nursing homes and retirement villages. A range of head and foot bed end styles and colours are available to suit individual settings.



Options

- 150mm dual wheel castors
- Range of head and foot ends
- Safety rails (Adult/Paediatric)
- Oxygen bottle holder (Horizontal & Vertical)
- Self help pole
- Intravenous pole
- Orthopaedic frame
- Storage basket
- Nurse control
- X-ray translucent backrest

Technical Details

- Overall length 2120mm (83.5')
- Overall width 930mm (36.6')
- Mattress Size 1950 x 830mm
- Height range 450 - 700mm
- Backrest 750
- Calf section elevation 350
- Castors 100mm
- Under-bed clearance 250mm
- Product weight(approx) 115kg
- Safe Working Load 250kg
- Maximum Loading Capacity 390kg



Standard Features

- Electrically operated backrest, height and knee - break
- Patient handset
- 125mm single wheel castors
- Removable/interchangeable head and foot ends
- Sheet metal mattress platform
- IV pole sockets
- Self help bar sockets

Accessories



- Oxygen bottle holder (Horizontal & Vertical)
- Self help pole
- Intravenous pole
- Orthopaedic frame
- Safety rails (Adult)

ELECTRIC BEDS Model X

TGA No: AUST I 98423

Model X is a multi function electric ward/ICU bed. The new design of the quick release (CPR) provides a smooth quick action while controlling the rate of the travel of the backrest. This design can prevent injuries caused by sudden drop-down.

The Model X bed can be easily converted to a comfortable "Cardiac" or "Fowler" Chair Position. Innovative "Nanometer Technology" is used on the powder coating of the frames and the mattress support platform. This technology creates super smooth surfaces, which are effective for infection control and easy to clean.



Options

- 150mm dual wheel castors
- Range of head and foot ends
- Safety rails (Adult/Paediatric)
- Oxygen bottle holder (Horizontal & Vertical)
- Self help pole
- Intravenous pole
- Orthopaedic frame
- Storage basket
- Nurse control
- X-ray translucent backrest

Standard Features

- Electrically operated backrest, height and knee-break, trendelenburg (tilt) and reverse trendelenburg (reverse tilt)
- Battery back up
- Patient handset
- Lockout panel
- Quick release on both sides
- 150mm single wheel castors
- Central braking and steering
- Removable/interchangeable head and foot ends
- Sheet metal platform

Technical Details

- Overall length 2140mm (85'')
- Overall width 930mm (37'')
- Mattress Size 1960 x 840mm
- Height range 450- 750mm
- Head-down tilt 0 to 170
- Foot-down tilt 0 to 170
- Backrest 750
- Calf section elevation 350
- Castors 150mm
- Under-bed clearance 160mm
- Product weight (approx) 115kg
- Safe Working Load 250kg
- Maximum Loading Capacity 390kg

MANUAL BED – 1 CRANK, 2 Sections

Product Code: UMWBA1



Description:

Bed, hospital, manual, 2 section, non-height adjustable, backup, crank operated, safety rails included.

Standard Features

- Easy to operate
- Fit for hospital and nursing
- ABS head-end and foot-end board
- Great durability side rail
- Twin-button set for side rail handle
- Head section adjustable
- Durable mattress bases
- Twin link mattress bases
- Durable retractable crank
- Crank lift mechanism device
- Overall size:
2120mm L x 920mm W x 550mm H
- Safety working load 250kg
- Weight 115kg
- ISO9001 IS AVAILABLE

MANUAL BED – 2 CRANK, 3 Sections

Product Code:



Description

Bed, hospital, manual, 3 section, non-height adjustable, backup, crank operated, safety rails included

Standard Features

- Easy to operate
- Fit for hospital and nursing
- ABS head-end board and foot end board, (Head rest 0-70 degrees and foot section 0-35 degrees)
- Great durability side rail
- Twin-button set for side rail handle
- Durable mattress base
- Durable retractable cranks
- Crank lift mechanism device
- Overall size:
2120mm L x 1000mm W x 550mm H
- Safety working load 250kg
- Weight 115kg
- ISO9001 IS AVAILABLE

MANUAL BED – 3 CRANK, 4 Sections

Product Code: UMWBA3



Description:

Bed, hospital, manual, 4 section, height adjustable, backup, crank operated, safety rails included

Standard Features

- Easy to operate
- Fit for hospital and nursing
- ABS head end board and foot end board
- Hi Lo adjustable between 370mm to 660mm
- Durable mattress base
- Durable retractable cranks
- Great durability side rail
- Twin button set for side rail handle
- Crank lift mechanism device
- Overall size: 2120mm L x 920mm W x 550mm H
- Safety working load 250kg
- Weight 115kg
- ISO9001 IS AVAILABLE

MANUAL BED – 4 CRANK, 4 Sections

Product Code: UMWBA4



Description:

Bed, hospital, manual, 4 section, height adjustable, backup, crank operated, safety rails included

Standard Features

- Easy to operate
- Fit for hospital and nursing
- ABS head-end and foot-end board
- Durable mattress base
- Twin button set for side rail
- Hi-Lo adjustable between 370mm to 660mm
- Crank lift mechanism device
- Reverse Trendelenburg 12° ± 2°
- Aluminum hand rail with stainless steel tubing
- ABS plastic handle for crank (retractable)
- Overall size: 2120mm L x 920mm W x 550mm H
- Safety working load 250kg
- Weight 115kg
- ISO9001 IS AVAILABLE

Medi-Cart™

Load Tested to over 300 kilograms 8cm Swivel Castors with foot brakes high density Polyethylene Trays supplied dismantled for self assembly with full instructions High Density Polyethylene Carts



MODEL No. 101A
OVERALL SIZE: 54.1cm x 36.2cm x 81cm
CLEARANCE: 50.6cm (between shelves)
TRAY SIZE: 45cm x 33cm



MODEL No. 101G
OVERALL SIZE: 54.1cm x 36.2cm x 88cm
CLEARANCE: 50.6cm (between shelves)
TRAY SIZE: 45cm x 33cm



MODEL No. 201A
OVERALL SIZE: 65cm x 44.5cm x 81cm
CLEARANCE: 47cm (between shelves)
TRAY SIZE: 55.5cm x 40cm



MODEL No. 201G
OVERALL SIZE: 65cm x 44.5cm x 87cm
CLEARANCE: 47cm (between shelves)
TRAY SIZE: 55.5cm x 40cm



MODEL No. 201K
OVERALL SIZE: 65cm x 44.5cm x 87cm
CLEARANCE: 47cm (between shelves)
TRAY SIZE: 55.5cm x 40cm



MODEL No. 2001A
OVERALL SIZE: 88cm x 48cm x 85cm
TRAY SIZE: 62.5cm x 43cm



MODEL No. 2001C
OVERALL SIZE: 88cm x 48cm x 84.5cm
TRAY SIZE: 62.5cm x 43cm

Bedside Locker



Descriptions

- Pull-out' tray/table, tray with cup and Sthermometer concave shapes
- Drawer/Cabinet
- 'Pull out' towel hangers (on both sides)
- Compartment for shoes/slippers
- Light, steady, scratch resistant
- ABS plastic - easy to clean

Specifications

- Overall Dimensions (mm)
490L x 460W x 850H
- Castors: 50mm

Choice of Colours



RESUSITATION TROLLEY



Descriptions:

- Overall ABS plastic
- Comfortable handle , easy to push
- Security lock (using a pin code)
- Light & easy to move
- A small drawer has 2 removable medication compartments and a removable medication tray
- Cardiac Catheter holder
- Pull-out' tray/table
- 2 compartments on the left (open at an angle) for more storage

Specifications:

- Overall dimensions
(mm)770W x 700L x 1360H
- Castors 5"
- Drawers 5 different size of drawers
(2 small, 2 medium, 1 large)



Anaesthetic Trolley



Descriptions

- ABS plastic bumpers wrap on corners
- ABS top cap protectors disinfectant materials and easy to clean
- Comfortable handle
- easy to push 'Pullout' tray/table
- Light, steady,
- scratch resistant
- Lockable roller door with master key device

Specifications

- Overall dimensions (mm)
- 72W x 590D x 1010H
- Medication compartments
- Each trolley contains 64 to 96 medication compartments
- There are two sizes of the medication compartments
220L x 72W x 55H/
220L x 108W x 55H
- Castors: 5"



Combination Couch/Chair

A chair you can use as a couch.

- Dimensions (mm) 625 (W) x 880 (D) x 910 (H)
- Extended Length -1850mm
- 20mm tubing steel chair back, high density, safe and reliable mattress



Medicine Trolley



Descriptions:

- Light, steady, scratch resistant
- Lockable roller door with master keydevice
- Removable medication compartments-
- ABS plastic bumpers wrap on the corners
- ABS top cap protectors disinfectant materia and easy to clean
- Comfortable handle,easy to push
- 'Pull –out' tray/ table
- 64 to 96 Medication compartments



Specifications:

- Overall dimensions (mm) 720W x 590D x 1010H
- There are two sizes of the medication compartments
 - 220L x 72W x 55H
 - 220L x 108W x 55H
- Medication compartments
- Each trolley contains 64-96 medication compartments
- Castors:5

Inter-locker




Descriptions:

- Interlockable
- Flexible Combination
- Rust free
- Washable Hygienic ABS
- Space Saving
- Lockable
- Name/Number ID Holder
- Doors can be hung either right or left
- Scratch Resistant Finish
- Standard Lock and Keys of three level included.

Dimensions:

- small:
388H x 320W x 435D mm
- medium:
646H x 320W x 435D mm
- large:
965H x 320W x 435D mm



Ordering Information

Product	Size	Color**	Cat No	Unit
Lockers	Small	Blue	ULS-BL	1/ctn
		Grey	ULS-GY	1/ctn
	Medium	Blue	ULM-BL	1/ctn
		Grey	ULM-GY	1/ctn
	Large	Blue	ULL-BL	1/ctn
		Grey	ULL-GY	1/ctn
Base Plate Shelf	Uni-Size For medium & large locker	Grey	ULB-GR	1/ctn
		Grey	ULC-GR	1/ctn

*Includes Hanger Rod ** Green and Orange colour by special order

Mattresses



1 Crank - Standard

- Egg Box Type with Vinyl waterproof cover.



2 Crank - Split Mattress

- Egg Box Type with Vinyl waterproof cover.

Monkey Bars



Overbed Table



Specifications

- Overall Dimensions (mm)
860L x 485W x 860 - 1260H
- Tray 860mm x 455mm
- Castors 50mm (Diameter)

Descriptions

- 4 lockable castors
- One-hand height adjustment
- ABS plastic tray - easy to clean
- ABS plastic apron on the pedestal
- A concavity is formed on the surface
- High heat resistant up to 850C
- Safe Working Load (SWL) is 40 kg

Choice of Colours

Pink

Blue

Beige